

Anti-Importin $\alpha 3$ / KPNA4/Qip1 antibody, rat monoclonal (3D10)

70-325 200 μ g

Shipping and Storage: Shipped at 4°C or -20°C and stored at -20°C.

Immunogen: Recombinant mouse importin $\alpha 3$ /KPNA4/ Qip 1 (full length)

Form: Purified monoclonal antibody (IgG) 1mg/ml in PBS⁻ with 50 % glycerol, filter-sterilized

Isotype: Rat IgG2a κ

Epitope: Not determined

Reactivity: Reactive with human, simian, mouse, rat, hamster, canine and bovine importin $\alpha 3$. This antibody doesn't recognize other importin α family including $\alpha 4$.

Applications:

1. Western blotting (250~500 fold dilution)
2. ELISA

This antibody doesn't work for immunostaining and immunoprecipitation.

Background: Importin α proteins play a pivotal role in the import of proteins from the cytoplasm to the nucleus. Importin α proteins shuttle between nucleus and cytoplasm, bind nuclear localization signal (NLS)-bearing proteins, and mediate the protein import into the nucleus with importin β . Several importin α isotypes have been identified, each exhibiting differential recognition and nuclear transport, probably via preferential binding to a particular NLS. The **importin $\alpha 3$ (KPNA4, Qip1)** is a member of the importin α family of proteins belonging to the Qip1 subfamily.

The antibody was purified from the serum-free cultured medium of the hybridoma under mild conditions by proprietary chromatography processes.

Data Link: [t uniprot/O35343](https://www.uniprot.org/entry/O35343) mouse importin $\alpha 3$

References: This antibody was produced and used in Ref.3 and 4.

1. Yoneda Y "Nucleocytoplasmic protein traffic and its significance to cell function." Review. *Genes Cells* **5**: 777-787 (2000) PMID: [11029654](https://pubmed.ncbi.nlm.nih.gov/11029654/)
2. Miyamoto Y et al "Differential modes of nuclear localization signal (NLS) recognition by three distinct classes of NLS receptors." *J Bio Chem* **272**:26375-26381 (1997) PMID: [9334211](https://pubmed.ncbi.nlm.nih.gov/9334211/)
3. Sakaguchi N *et al* "Generation of a rat monoclonal antibody specific for importin alpha3/Qip1." *Hybrid Hybridomics* **22**: 397-400 (2003) PMID: [14683601](https://pubmed.ncbi.nlm.nih.gov/14683601/)
4. Yasuhara N *et al* "Triggering neural differentiation of ES cells by subtype switching of importin-alpha." *Nat Cell Biol* **9**:72-79 (2007) PMID: [17159997](https://pubmed.ncbi.nlm.nih.gov/17159997/)

to be continued ...




Fig.1

Detection of importin α 3 (58 kD) by Western blotting using the antibody 3D10.

Sample is the total cell extract.

- lane1: HeLa (human)
- lane2: COS7 (simian)
- lane3: L929 (mouse)
- lane4: NRK (rat)
- lane5: BHK (hamster)
- lane6: MDBK (bovine)