


## Anti-Sulfite Reductase(At) antibody, rabbit polyclonal

<b>Product code</b>	81-033
<b>Size</b>	200 µg
<b>Storage</b>	-20°C
<b>Concentration</b>	4.0 mg/ml
<b>Buffer</b>	PBS <sup>-</sup> with 50% glycerol
<b>Purity</b>	Purified IgG fraction with protein A from rabbit antiserum.
<b>Immunogen</b>	Synthetic peptide, C-KYATGEHPQGSDKLDS, corresponding to OLE1 protein (118-133 amino acids) of <i>Arabidopsis thaliana</i> .
<b>Isotype</b>	Rabbit IgG
<b>Reactivity</b>	Plant SiR protein including those of Arabidopsis, Maize and Pea.
<b>Special notes</b>	N/A
<b>Application</b>	<ol style="list-style-type: none"> <li>Western blotting (1/1,000-1/5,000 )</li> <li>ELISA (assay dependent)</li> </ol> Other applications have not been tested.
<b>Background</b>	<p>Sulfite reductase (SiR) is an essential protein with sulfite reductase activity required in assimilatory sulfate reduction pathway during both primary and secondary metabolism and thus involved in development and growth. It is known as a DNA-binding protein that binds to both double-stranded and single-stranded DNA without significant sequence specificity to reversibly repress the transcriptional activity of chloroplast nucleoids by promoting DNA compaction and possibly regulate DNA replication. The sequence identity between maize and Arabidopsis SiR is 77%</p>
<b>Data Link</b>	UniProtKB <a href="#">Q9LZ66</a> (SIR_ARATH), <a href="#">Q23813</a> (SIR_MAIZE)
Please note: All products are FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC PROCEDURES. NOT FOR MILITARY USE.	

**Data Images:** 81-033 Anti- Sulfite Reductase(At) antibody, rabbit polyclonal



**Fig.1 Western Blot of SiR in plant leaf extract.**

Anti-SiR antibody was used at 1/1,000 dilution. Secondary antibody (goat anti-rabbit IgG antibody HRP-conjugated, ab97051) was used at 1/10,000 dilution.

1. Recombinant maize SiR protein
2. Arabidopsis leaf extract, 10 µg
3. Maize leaf extract, 10 µg

Molecular mass of SiR is 72 kDa (Arabidopsis), 70 kDa (Maize).

**Reference:** This product has been used in the following publications.

1. Yonekura-Sakakibara K, Onda Y, Ashikari T, Tanaka Y, Kusumi T, Hase T. "Analysis of reductant supply systems for ferredoxin-dependent sulfite reductase in photosynthetic and nonphotosynthetic organs of maize." *Plant Physiol.* 2000 Mar;122(3):887-94. PMID: [10712553](#) **WB;Maize**
2. Sato N, Nakayama M, Hase T. "The 70-kDa major DNA-compacting protein of the chloroplast nucleoid is sulfite reductase." *FEBS Lett.* 2001 Jan 5;487(3):347-50. PMID: [11163356](#) **WB;Pea**